

**Form - IV (See rule 13)**


[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized	:	The Superintendent
	(ii) Name of HCF or CBMWTF	:	District Hospital Nilambur
	(iii) Address for Correspondence	:	Hospital Road, Nilambur Malappuram, Kerala - 679329
	(iv) Address of Facility	:	Hospital Road, Nilambur Malappuram, Kerala - 679329
	(v) Tel. No, Fax. No	:	04931 220351, 7561004455
	(vi) E-mail ID	:	<a href="mailto:mothghnilambur@gmail.com">mothghnilambur@gmail.com</a>
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	Latitude - 11.2762287 Longitude - 76.2218462
	(ix) Ownership of HCF or CBMWTF	:	State Government
	(x). Status of Authorization under the Bio- Medical Waste (Management and	:	Authorisation No.: KEIL/CBWTF/00527/2021-2022 Valid upto: 31 March 2023
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: PCB/RO/MLPM/ICO/01/19
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:142
	(ii) Non-bedded hospital	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	KERALA ENVIRO INFRASTRUCTURE LTD , CBWTF, INSIDE FACT-CD CAMPUS, AMBALAMEDU, KOCHI-682303, KERALA PH: 0484- 2722241,341 CIN: 424129KL2005PLCO17973, . MAIL ; keilbiomedicals@gmail.com
	(i) Number of health care	:	524 HCF
	(ii) No. of Beds covered by CBMWTF	:	KERALA ENVIRO INFRASTRUCTURE LTD , CBWTF, INSIDE FACT-CD CAMPUS, AMBALAMEDU, KOCHI-682303, KERALA
	(iii) Installed treatment and	:	16000 Kg / day
	(iv) Quantity of bio medical	:	7500 Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Categor : 6548.53
		:	Red Category:4833.883
		:	White:116.455
		:	Blue Category:294.938
		:	General Solid Waste:
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site Facility	:	Size: Capacity:

		Provision of on-site storage : (Cold storage or		
		Type of treatment equipment	No of Units	Quantity Treated or disposed
		Incinerators	0	
		Plasma	0	
		Pyrolysis		
		Autoclaves	1	
		Microwave	0	
		Hydroclave	0	
		Shredder	0	
	(ii) Disposal facilities	Needle tip cutter or destroyer	15	
		Sharps		
		Encapsulation or concrete pit	0	
		Deep burial pits	0	
		Chemical disinfection:	0	
		Any other treatment equipment:	0	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per	:	Red Category (like plastic, glass, etc.)	
	(iv) No. of Vehicles used	:	1	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Incineration	Where disposed
			Ash	
			ETP Sludge	
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		KERALA ENVIRO INFRASTRUCTURE LTD , CBWTF, INSIDE FACT-CD CAMPUS, AMBALAMEDU, KOCHI-682303, KERALA PH: 0484- 2722241,341 CIN: 424129KL2005PLCO17973, . MAIL ; keilbiomedicals@gmail.com	
	(vii) List of member HCF			
	(vii) List of member HCF			
6	"Do you have bio-medical waste management committee? If yes, attach		Yes	
7	Details trainings conducted			
	(i) Number of trainings conducted on BMW Management		3	

	(ii) Number of personnel trained		112
	(iii) Number of personnel trained at the time of induction		26
	(iv) Number of personnel not undergone any training so far		0
	(v) Whether standard manual for training is available?		Yes
8	Details of the accident		
	(i) Number of Accidents occurred		
	(ii) Number of persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01-01-2021 to 31-12-2021



Name and Signature of the Head of the Institution

**SUPERINTENDENT**  
**Govt. District Hospital**  
**Nilambur - 679329**  
**Malappuram Dist**