

Form - IV (See rule 13)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1	Particulars of the Occupier	:
	(i) Name of the authorized person (occupier or : operator of facility)	: The Superintendent
	(ii) Name of HCF or CBMWTF	: District Hospital Nilambur
	(iii) Address for Correspondence	: Hospital Road, Nilambur, Malappuram DT, Pin - 679329
	(iv) Address of Facility	: Hospital Road, Nilambur, Malappuram DT, Pin - 679330
	(v) Tel. No, Fax. No	: 04931220351
	(vi) E-mail ID	: dhnilambur2014@gmail.com
	(vii) URL of Website	: www.districthospitalnilambur.org
	(viii) GPS coordinates of HCF or CBMWTF	: Latitude : 11.2762287 Longitude: 76.2218462
	(ix) Ownership of HCF or CBMWTF	: State Government
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: <u>KEIL/CBWTF/00527/2021-22</u> Valid upto: <u>31.03.2023</u>
	(xi). Status of Consents under Water Act and Air Act	: Valid upto:
2	Type of Health Care Facility	: District Hospital
	(i) Bedded Hospital	: No. of Beds: <u>142</u>
	(ii) Non-bedded hospital Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:
	(iii) License number and its date of expiry	:
3	Details of CBMWTF	: KERALA ENVIRO INFRASTRUCTURE LTD , CBWTF, INSIDE FACT- CD CAMPUS, AMBALAMEDU, KOCHI-682303, KERALA PH: 0484- 2722241,341 CIN: 424129KL2005PLCO17973, . MAIL: keilbiomedicals@gmail.com
	(i) Number of health care facilities covered by CBMWTF	: 992
	(ii) No. of Beds covered by CBMWTF	: 17415
	(iii) Installed treatment and disposal	: 16000 Kg / day
	(iv) Quantity of bio medical waste	: 7500 Kg / day
		: Yellow Category: 5904.2

4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	: Red Category: 6479.44		
		: White: 209		
		: Blue Category:813		
		: General Solid Waste:		
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility			
	(i) Details of the on-site storage facility :	: Size:		
	Facility	Capacity:		
		Provision of on-site storage : (Cold storage or		
	(ii) Disposal facilities	Type of treatment equipment	No of Units	Quantity Treated or disposed in kg per annum
		Incinerators	Nil	
		Plasma Pyrolysis	Nil	
		Autoclaves	Nil	
		Microwave	Nil	
		Hydroclave	Nil	
		Shredder	Nil	
		Needle tip cutter or destroyer		
		Sharps		
		Encapsulation or concrete pit		
		Deep burial pits		
		Chemical disinfection:		
		Any other treatment equipment:		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	: Red Category (like plastic, glass, etc.)		
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Incineration	Where disposed	
		Ash		
		ETP Sludge		
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of			
	(vii) List of member HCF not handed over bio-medical waste.			
	(vii) List of member HCF not handed over bio-medical waste.			
6	"Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period"			
7	Details trainings conducted on BMW			

	(i) Number of trainings conducted on BMW Management	Biomedical Waste Management Training Module from the KEIL CBWTF
	(ii) Number of personnel trained	
	(iii) Number of personnel trained at the time of induction	
	(iv) Number of personnel not undergone any training so far	
	(v) Whether standard manual for training is available?	
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	
	(ii) Number of persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 1/1/22 to 31/12/22

Date: 31.12.2022

Place: Nilambur



Name and Signature of the Head of the Institution

[Signature]
SUPERINTENDENT
 Govt. District Hospital,
 Nilambur - 679329
 Malappuram Dist.